PARTS MANUAL <u>AERATOR MODELS</u>:

TA-19D, TA-19B

Turf Aerator






C100212


TABLE OF CONTENTS

INTRODUCTION1
Thank You1
Read This Manual1
Warranty1
Measurements1
Serial Numbers1
Ordering Part1
Directions1
OWNERS RECORD1
PRE-DELIVERY CHECK LIST1
DELIVERY CHECK LIST1
TA-19D TURF AERATOR
Left Side View2
Right Side View3
Engine Pulley Components4
Water Drum Components4
Drive Components5
TWO YEAR LIMITED WARRANTY6



ITE	<u>M</u>	P/N DESCRIPTION	<u>QTY</u>
1	C400072	FRAME, MAIN	1
2	C100085	DRUM, WATER	1
3	C500015	1/4" X 3/4" BOLT W/ LOCK WASHER & NUT	3
4	C500011	KEY, 3/16" X 1" SQUARE	6
5	C200007	SHAFT, KEYED	1
6	C500054	WASHER, (3) 3/4" FLAT	2
7	C500109	1/4"-28 X 5/8" BOLT W/ FENDER WASHER & LOCK	2
88	C500044	1/2" X 1-3/4" BOLT W/ LCK WASHER & (2) NUTS	2
9	C400013	ARM, L.H. REAR AXLE SUPPORT	1
10	C100031	TIRE ASSEMBLY, 8" REAR	2
<u>11</u>	C100053	WASHER, 5/8" FLAT	2
12	C500131	NUT, 1/2" LOCK	4
<u>13</u>	C300006	FLAT, PIVOT	2
14	C500060	3/8" X 1" BOLT W/ FLAT WASHER	6
<u>15</u>	C500046	1/2" X 2" BOLT W/ (3) FLAT WASHERS & NUTS	2
<u>16</u>	C100040	SPRING, FRAME	2
17	C400015	ARM, SPRING	2
<u>18</u>	C500047	1/2" X 2-1/2" BOLT W/ (2) LOCK NUTS	2
19	C300005	SPACER W/ (2) FLAT WASHERS, & BUSHING	2
20	C400021	ARM, IDLER	1
21	C500001	GREASE FITTING, 1/4" X 28	1
22	C500107	3/8" X 1" BOLT W/ (2) FLAT WASHERS & NUT	1
23	C100039	V-BELT, BX43	1
24	C400020	ARM, CLUTCH	1
<u>25</u>	C100010	PULLEY, IDLER	1
26	C500008	3/8" X 2" BOLT W/ LOCK WASHER & NUT	1
27	C500099	3/8" X 1-1/4" BOLT W/ FLAT WASHER, LK WSHR, NUT	2
28	C500098	3/8" X 3-1/2" BOLT W/ (2) FLAT WASHERS,LK WSHR, NUT	<u>3</u>
29	C300037	PLATE, ADJUSTER	1
<u>30*</u>	C500005	5/16" X 1-1/2" BOLT W/ LOCK WASHER & NUT	4
<u>31</u>	C300009	WEIGHT STOP	1
32	C300071	PLATE, HANDLE BRACE GUSSET	1
<u>33</u>	500051	3/8" X 1" BOLT W/ LOCK NUT	6
34	C100037	ENGINE W/ EXHAUST DEFLECTOR, 4HP HONDA	1
	C100482	ENGINE, BRIGGS AND STRATTON, 6.5HP	1
<u>35</u>	C400115	BRACE, HANDLE	1
36	C500114	5/16" X 2-1/4" TAP BOLT	2
<u>37</u>	C500083	WASHER, 5/16" FLAT	2

ITE	M	P/N DESCRIPTION	QTY
38	C500115	WASHER, 5/16" LOCK	2
39	C500101	NUT, 5/16"	2
40	C300049	PLATE, CHAIN TIGHTENING	2
41	C100013	BEARING W/ COLLAR, 3/4" PILLOW BLOCK	2
42	C500010	5/16" X 1-3/4" BOLT W/ (2) FLAT WSHERS, LK WSHR NU	T 4
43	C100041	9" PULLEY W/ 3/4" HUB & 3/16" SQ. KEY	1
44	C200006	JACK SHAFT W/ #40 X 13 SPROCKET & HUB	1
45	C100108	CHAIN, #40 X 139 PITCH	1
46	C500124	5/16" X 3/4" CARRIAGE BOLT W/ LOCK NUT	2
47	C400393	GUARD, CHAIN	1
48	C100032	TINE, PLUGGING	42
49	C300007	ARM, LINKAGE	2
50	C500049	3/8" X 1-1/4" BOLT W/ FLAT WASHER & LK NUTS	2
51	C400017	HANDLE, LOWERING	1
52	C500048	3/8" X 3-1/2" BOLT W/ (2) LOCK NUTS	2
53	C100036	CABLE W/ CONNECTING ENDS, THROTTLE, HONDA	1
	C100483	CABLE W/ CONNECTING ENDS, THROTTLE, B&S	1
54	C100020	TIE, PLASTIC	2
55	C200008	CABLE, CLUTCH	1
56	C400018	HANDLE, MAIN	1
57	C500050	3/8" X 1-1/4" BOLT W/ (2) LOCK NUTS	2
58	C100035	SPRING, THROTTLE CABLE CONNECTING	1
59	C400019	HANDLE, CONTROL	1
60	C100033	GRIP 1/8" X 1"	2
61	C500055	3/8" X 1-1/4" BOLT W/ LOCK WASHER, LK NUT, NUT	1
62	C100034	SPRING, CLUTCH CABLE	1
63	C500016	COTTER PIN.5/32' X 1-1/4"	2




ITEM	P/N	DESCRIPTION QTY	
1	C400072	FRAME, MAIN	1
2	C100085	1/4" X 3/4" BOLT W/ LOCK WASHER & NUT	1
4	C500011	KEY, 3/16" X 1" SQUARE	6
5	C200007	SHAFT, KEYED	_1
6	C500054	WASHER, (3) 3/4" FLAT	2
7	C500109	1/4"-28 X 5/8" BOLT W/ FENDER WASHER	
		& LOCK WASHER	2
8	C500044	1/2" X 1-3/4" BOLT W/ LOCK WASHER & 2 NUTS	2
9	C400014	ARM, R.H. REAR AXLE SUPPORT	1
10	C100031	TIRE ASSEMBLY, 8" REAR	2
11	C500053	WASHER, 5/8" FLAT	2
12	C500131	NUT, 1/2" LOCK	4
13	C300006	FLAT, PIVOT	2
14	C500060	3/8" X 1" BOLT W/ FLAT WASHER, LOCK WASHER & NUT	6
<u>15</u>	C500046	1/2" X 2" BOLT W/ (3) FLAT WASHERS & (2) LOCK NUTS	2
16	C100040	SPRING, FRAME	2
17	C400015	ARM, SPRING	2
18	C500047	1/2" X 2-1/2" BOLT W/ (2) LOCK NUTS	2
19	C300005	SPACER, BUSHING 20 100021 2	2
21	C400021	ARM, IDLER	1
22	C400020	ARM, CLUTCH	1
23	C500107	3/8" X 1" BOLT W/ 2 FLAT WASHERS & LOCK NUT	1
24	C500042	WASHER, 3/8" FLAT	_1
25	C500051	3/8" X 1" BOLT W/ LOCK NUT	6
26	C100032	TINE, PLUGGING	30
27	C400393	GUARD, CHAIN	1
28	C300007	ARM, LINKAGE	2
29	C400017	HANDLE, LOWERING	1

ITEM	P/N	DESCRIPTION QTY 30	_
30	C500049	3/8" X 1-1/4" BOLT W/ FLAT WASHER & (2) LOCK NUTS	_2
31	C500048	3/8" X 3-1/2" BOLT W/ (2) LOCK NUTS	2
32	C100036	CABLE W/ CONNECTING ENDS, THROTTLE HONDA	1
	C100483	CABLE W/ CONNECTING ENDS, THROTTLE, B&S	1
33	C100020	TIE, PLASTIC	2
34	C400018	HANDLE, MAIN	1
35	C500050	3/8" X 1-1/4" BOLT W/ (2) LOCK NUTS	2
36	C100035	SPRING, THROTTLE CABLE CONNECTING	1
37	C400019	HANDLE, CONTROL	1
38	C100033	GRIP, 1/8" X 1"	2
39	C100034	SPRING, CLUTCH CABLE	1
40	C200008	CABLE CLUTCH	1
41	C400115	BRACE, HANDLE	1
42	C400022	PULLEY GUARD W/ (3) 5/16" X 3/4" BOLTS,	1
43	C100027	SPRING, THROTTLE	1
44	C100037	ENGINE W/ EXHAUST DEFLECTOR, 4HP HONDA	1
	C100482	ENGINE, BRIGGS AND STRATTON, 6.5HP	1
45	C300071	PLATE, HANDLE BRACE GUSSET	1
46	C500005	5/16" X 1-1/2" BOLT W/ LOCK WASHER & NUT	4
47	C500056	5/16" X 3/4" BOLT W/ FLAT WASHER, LOCK WASHER	
		& NUT	4
48	C400056	WEIGHT BAR	1
49	C300009	WEIGHT STOP	1
50	C500016	COTTER PIN, 5/32" X 1-1/4"	2
51	C300147	THROTTLE PLATE BRACKET, B&S (NOT SHOWN)	1
52	C300148	THROTTLE PLATE, B&S (NOT SHOWN)	1


Top View Looking Down on the Front of the Aerator

Engine Pulley Components TA-19D TURE AERATOR




ITEM	P/N DESCRIPTION	QTY
1	C500011 KEY, 3/16" x 1" SQUARE	6
2	C500098 3/8" x 3-1/2" BOLT w/ (2) FLATS,	
	LOCK, & (2) NUTS	3
3	C100081 BEARING, 3/4" 2-BOLT	1
4	C500060 3/8" x 1" BOLT w/ FLAT, LOCK, & NUT	6
5	C500099 3/8" x 1-1/4" BOLT w/ FLAT, LOCK, & NUT	2
6	C300037 PLATE, ADJUSTER	1
7	C400072 FRAME, MAIN	1
8	C100038 PULLEY, 3/4" x 3"	1
9	C200014 COUPLER w/ STUB SHAFT, 3/4"	1
10	C100037 ENGINE, 4.0 HP HONDA	1

Front View of Water Drum & Mounting





ITEMP/N		DESCRIPTION	QTY
1	C700009	AXLE, DRUM	1
2	C100004	BEARING w/ ECCENTRIC COLLAR,	
		1" PILLOW BLOCK	4
3	C500040	1/2" x 1-3/4" BOLT w/ FLAT WASHER & LOCK I	NUT8
4	C100083	WASHER, SMALL STEEL	1
5	C700011	INNER HALF PLATE w/ STUDS	2
6	C100084	GASKET, LARGE RUBBER	1
7	C200015	SPROCKET, #40 x 30	1
8	C500100	LOCK NUT, 5/16" TWO-WAY	12
9	C500101	NUT, 5/16" STANDARD	6
10	C100085	DRUM, WATER	1
<u>11</u>	C100087	GASKET, SMALL RUBBER	1
12	C100108	CHAIN, #40 x 139 PITCH (NOT SHOWN)	1



ITE	MP/N	DESCRIPTION	QTY
1	C100043	IDLER SPROCKET, #40 x 17 x 1/2"	2
2	C500037	1/2" x 1-3/4" BOLT w/ LOCK & NUT	1
3	C500038	LOCK & NUT, 1/2"	<u> </u>
4	C500034	FLAT WASHERS, (2) 1/2"	2
5	C100108	CHAIN, #40 x 139 PITCH	<u>1</u>
6	C100025	CONNECTING LINK, #40	<u>1</u>
7	C100032	TINE, PLUGGING	30
8	C500128	5/16" x 1-1/2" BOLT w/ LOCK NUT	60
9	C500040	1/2" x 1-3/4" BOLT w/ FLAT & LOCK NUT	8
10	C200009	SPROCKET w/ 1" HUB, #40 x 36	<u>1</u>
<u>11</u>	C100004	BEARING	
		w/ ECCENTRIC COLLAR, 1" PILLOW BLOCK	4
12	C700020	SHAFT ASSEMBLY, TINE DISC	<u>1</u>
13	C200015	SPROCKET, #40 x 30	<u>1</u>
14	C700009	AXLE, DRUM	<u>1</u>
15	C100085	DRUM, WATER	<u>1</u>
16	C300011	SPACER, 1" OUTSIDE DRUM SHAFT	1
17	C500003	KEY, 1/4" x 7/8" HALF MOON	<u>1</u>
<u>18</u>	C200006	JACK SHAFT ASSEMBLY, #40 x 13	<u>1</u>



1028 Street Road • P.O. Box 38 Southampton, PA 18966 U.S.A.

TWO YEAR LIMITED WARRANTY

Effective April 1, 2007

For the period of two years from the date of purchase, Schiller Grounds Care, Inc. will repair or replace for the original purchaser free of charge, any part or parts found upon the examination of our factory authorized service station, or by the factory in Norfolk, Nebraska, to be defective in material or workmanship. All transportation charges on parts submitted for repair or replacement under this warranty shall be borne by the purchaser. This warranty does not include engines or engine parts, tires, batteries, or gearboxes that are covered under separate warranties furnished by their manufacturer or supplier, nor does it include normal maintenance parts, including but not limited to, spark plugs, points, filters, blades, and lubricants.

All service under this warranty will be furnished or performed by our factory authorized service stations.

There is no other expressed warranty. Implied warranties, including those of merchantability and fitness for a particular purpose, are limited to two years from the date of purchase and to the extent permitted by law, any and all implied warranties are excluded. The above remedy of repair and replacement of defective parts is the purchaser's exclusive remedy for any defect, malfunction or breach of warranty. Liability for incidental or consequential damages under any and all warranties is excluded to the extent permitted by law.

NORMAL RESPONSIBILITIES OF THE SELLER AND THE USER

- 1. The Distributor or Dealer is responsible for the proper assembly and preparation of the product for delivery to the end user.
- 2. The User is responsible for reading the Manual and Instructions.
- 3. The User is responsible for proper operation and maintenance as described in the manual.
- 4. The User is responsible for the replacement of wear items such as blades, belts, tires, batteries, etc.
- 5. The User is responsible for damage due to improper operation and maintenance, as well as abuse.

All claims must be received by the factory 30 days after the end of the warranty period to receive warranty consideration.

See the complete line of Turf Care Products

from



COMPACT AERATORS

CA-18H CA-18B

STAND ON AERATOR

SA-25

SPLIT DRIVE AERATORS

TA-25D TA-17D

TURF AERATORS

TA-19D TA-19B TA-26D

RECIPROCATING AERATORS

RA-21H RA-21B RAS-21H RAS-21B

TOW/3PT AERATORS

48RT 60RT **TURF SEEDERS**

TS-20H TS-20B TSS-20H TSS-20B

TRAILERS AST

TURF RAKES

TR-20H TR-20B TRS-20H TRS-20B TR-20RH TR-20RB

SOD CUTTERS

SC-18/5.5 SC-18/8.0

HYDRO-DRIVE SOD CUTTERS

SCHV-18/5.5 SCHV-18/8.0

Classen reserves the right to make changes or add improvements to its products at any time without incurring any obligation to make such changes to products manufactured previously. Classen, or its distributors and dealers, accept no responsibility for variations which may be evident in the actual specifications of its products and the statements and descriptions contained in this publication.